



Air Toxics

Client Sample ID: A6L0830032219

Lab ID#: 1904059-01A

MODIFIED EPA METHOD TO-14A GC/MS FULL SCAN

|              |          |                     |                     |
|--------------|----------|---------------------|---------------------|
| File Name:   | 21040820 | Date of Collection: | 3/22/19 11:59:00 PM |
| Dil. Factor: | 1.00     | Date of Analysis:   | 4/8/19 08:01 PM     |

| Compound                         | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12                         | 0.50              | 0.51          | 2.5                | 2.5            |
| Freon 114                        | 0.10              | Not Detected  | 0.70               | Not Detected   |
| Chloromethane                    | 0.50              | 0.67          | 1.0                | 1.4            |
| Vinyl Chloride                   | 0.10              | Not Detected  | 0.26               | Not Detected   |
| 1,3-Butadiene                    | 0.10              | Not Detected  | 0.22               | Not Detected   |
| Bromomethane                     | 0.50              | Not Detected  | 1.9                | Not Detected   |
| Chloroethane                     | 0.50              | Not Detected  | 1.3                | Not Detected   |
| Freon 11                         | 0.10              | 0.25          | 0.56               | 1.4            |
| Ethanol                          | 0.50              | 1.0           | 0.94               | 2.0            |
| Freon 113                        | 0.10              | 0.074 J       | 0.77               | 0.57 J         |
| 1,1-Dichloroethene               | 0.10              | Not Detected  | 0.40               | Not Detected   |
| Acetone                          | 0.50              | 3.2           | 1.2                | 7.7            |
| 2-Propanol                       | 0.50              | 0.15 J        | 1.2                | 0.37 J         |
| Carbon Disulfide                 | 0.50              | Not Detected  | 1.6                | Not Detected   |
| 3-Chloropropene                  | 0.50              | Not Detected  | 1.6                | Not Detected   |
| Methylene Chloride               | 0.20              | Not Detected  | 0.69               | Not Detected   |
| Methyl tert-butyl ether          | 0.10              | Not Detected  | 0.36               | Not Detected   |
| trans-1,2-Dichloroethene         | 0.10              | Not Detected  | 0.40               | Not Detected   |
| Hexane                           | 0.10              | 0.033 J       | 0.35               | 0.12 J         |
| 1,1-Dichloroethane               | 0.10              | Not Detected  | 0.40               | Not Detected   |
| 2-Butanone (Methyl Ethyl Ketone) | 0.50              | 0.35 J        | 1.5                | 1.0 J          |
| cis-1,2-Dichloroethene           | 0.10              | Not Detected  | 0.40               | Not Detected   |
| Tetrahydrofuran                  | 0.50              | Not Detected  | 1.5                | Not Detected   |
| Chloroform                       | 0.10              | 0.017 J       | 0.49               | 0.081 J        |
| 1,1,1-Trichloroethane            | 0.10              | Not Detected  | 0.54               | Not Detected   |
| Cyclohexane                      | 0.10              | Not Detected  | 0.34               | Not Detected   |
| Carbon Tetrachloride             | 0.10              | 0.087 J       | 0.63               | 0.55 J         |
| 2,2,4-Trimethylpentane           | 0.50              | Not Detected  | 2.3                | Not Detected   |
| Benzene                          | 0.10              | 0.14          | 0.32               | 0.46           |
| 1,2-Dichloroethane               | 0.10              | 0.028 J       | 0.40               | 0.12 J         |
| Heptane                          | 0.10              | Not Detected  | 0.41               | Not Detected   |
| Trichloroethene                  | 0.10              | Not Detected  | 0.54               | Not Detected   |
| 1,2-Dichloropropane              | 0.10              | Not Detected  | 0.46               | Not Detected   |
| 1,4-Dioxane                      | 0.10              | Not Detected  | 0.36               | Not Detected   |
| Bromodichloromethane             | 0.10              | Not Detected  | 0.67               | Not Detected   |
| cis-1,3-Dichloropropene          | 0.10              | Not Detected  | 0.45               | Not Detected   |
| 4-Methyl-2-pentanone             | 0.10              | 0.025 J       | 0.41               | 0.10 J         |
| Toluene                          | 0.10              | 0.077 J       | 0.38               | 0.29 J         |
| trans-1,3-Dichloropropene        | 0.10              | Not Detected  | 0.45               | Not Detected   |
| 1,1,2-Trichloroethane            | 0.10              | Not Detected  | 0.54               | Not Detected   |
| Tetrachloroethene                | 0.10              | Not Detected  | 0.68               | Not Detected   |
| 2-Hexanone                       | 1.0               | Not Detected  | 4.1                | Not Detected   |



Air Toxics

Client Sample ID: A6L0830032219

Lab ID#: 1904059-01A

MODIFIED EPA METHOD TO-14A GC/MS FULL SCAN

|              |          |                     |                     |
|--------------|----------|---------------------|---------------------|
| File Name:   | 21040820 | Date of Collection: | 3/22/19 11:59:00 PM |
| Dil. Factor: | 1.00     | Date of Analysis:   | 4/8/19 08:01 PM     |

| Compound                  | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|-------------------|---------------|--------------------|----------------|
| Dibromochloromethane      | 0.10              | Not Detected  | 0.85               | Not Detected   |
| 1,2-Dibromoethane (EDB)   | 0.10              | Not Detected  | 0.77               | Not Detected   |
| Chlorobenzene             | 0.10              | Not Detected  | 0.46               | Not Detected   |
| Ethyl Benzene             | 0.10              | Not Detected  | 0.43               | Not Detected   |
| m,p-Xylene                | 0.10              | 0.030 J       | 0.43               | 0.13 J         |
| o-Xylene                  | 0.10              | 0.014 J       | 0.43               | 0.061 J        |
| Styrene                   | 0.10              | Not Detected  | 0.42               | Not Detected   |
| Bromoform                 | 0.10              | Not Detected  | 1.0                | Not Detected   |
| Cumene                    | 0.10              | Not Detected  | 0.49               | Not Detected   |
| 1,1,2,2-Tetrachloroethane | 0.10              | Not Detected  | 0.69               | Not Detected   |
| Propylbenzene             | 0.10              | Not Detected  | 0.49               | Not Detected   |
| 4-Ethyltoluene            | 0.10              | 0.015 J       | 0.49               | 0.073 J        |
| 1,3,5-Trimethylbenzene    | 0.10              | Not Detected  | 0.49               | Not Detected   |
| 1,2,4-Trimethylbenzene    | 0.10              | Not Detected  | 0.49               | Not Detected   |
| 1,3-Dichlorobenzene       | 0.10              | Not Detected  | 0.60               | Not Detected   |
| 1,4-Dichlorobenzene       | 0.10              | Not Detected  | 0.60               | Not Detected   |
| alpha-Chlorotoluene       | 0.10              | Not Detected  | 0.52               | Not Detected   |
| 1,2-Dichlorobenzene       | 0.10              | Not Detected  | 0.60               | Not Detected   |
| 1,2,4-Trichlorobenzene    | 0.50              | Not Detected  | 3.7                | Not Detected   |
| Hexachlorobutadiene       | 0.50              | Not Detected  | 5.3                | Not Detected   |
| Butane                    | 0.50              | Not Detected  | 1.2                | Not Detected   |
| Decane                    | 2.0               | Not Detected  | 12                 | Not Detected   |
| Dibromomethane            | 0.50              | Not Detected  | 3.6                | Not Detected   |
| Nonane                    | 0.50              | Not Detected  | 2.6                | Not Detected   |
| Naphthalene               | 0.50              | Not Detected  | 2.6                | Not Detected   |
| Octane                    | 0.50              | Not Detected  | 2.3                | Not Detected   |
| Pentane                   | 0.50              | Not Detected  | 1.5                | Not Detected   |
| Propylene                 | 1.0               | Not Detected  | 1.7                | Not Detected   |
| Undecane                  | 2.0               | Not Detected  | 13                 | Not Detected   |
| Vinyl Acetate             | 0.50              | Not Detected  | 1.8                | Not Detected   |

J = Estimated value.

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

| Surrogates            | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 129       | 70-130        |
| Toluene-d8            | 97        | 70-130        |
| 4-Bromofluorobenzene  | 99        | 70-130        |